



KT
KELLER
TAPS

SOFFIONI E BRACCI



CR NO BO NI GLD CPR GNM OR

INOX




CHROMOTHERAPY



Tipologia	1 Bar L/min.	2 Bar L/min.	3 Bar L/min.
	11	17	22
	6,4	8	10
	10	14	18

- Pioggia
Rain shower
Regenschauer
- Nebulizzazione
Fogging
Fogging
- Cascata
Waterfall
Wasserfall
- Cromoterapia
Chromotherapy
Farbtherapie

Alimentazione 220V, con trasformatore e telecomando.



MAGIC 60x40 - INOX

Soffione doccia anticalcare a soffitto, 600 x 400 mm.
Antiscale shower heads, 600 x 400 mm.
Riesenbrausekopf, 600 x 400 mm.

Art.				
75040 CR - NI	✓			
75040 NO - BO	✓			
75040 GLD-CPR-GNM-RSG-OR	✓			
75030 CR - NI	✓	✓		
75030 NO - BO	✓	✓		
75030 GLD-CPR-GNM-RSG-OR	✓	✓		
75034 CR - NI	✓	✓	✓	
75034 NO - BO	✓	✓	✓	
75034 GLD-CPR-GNM-RSG-OR	✓	✓		
75035 CR - NI	✓	✓	✓	✓
75035 NO - BO	✓	✓	✓	✓
75035 GLD-CPR-GNM-RSG-OR	✓	✓	✓	✓

MAGIC 50x50 - INOX

Soffione doccia anticalcare a soffitto, 500 x 500 mm.
Antiscale shower heads, 500 x 500 mm.
Riesenbrausekopf, 500 x 500 mm.

Art.				
74220 CR - NI	✓			
74220 NO - BO	✓			
74220 GLD-CPR-GNM-RSG-OR	✓			
74230 CR - NI	✓	✓		
74230 NO - BO	✓	✓		
74230 GLD-CPR-GNM-RSG-OR	✓	✓		
74234 CR - NI	✓	✓	✓	
74234 NO - BO	✓	✓	✓	
74234 GLD-CPR-GNM-RSG-OR	✓	✓		
74235 CR - NI	✓	✓	✓	✓
74235 NO - BO	✓	✓	✓	✓
74235 GLD-CPR-GNM-RSG-OR	✓	✓	✓	✓

3620/25

Braccio doccia snake con soffione Ø 250 mm
Snake shower arm with round shower head Ø 250 mm
Schlangenbrausearm mit rundem Duschkopf Ø 250 mm.



3620/25

CR

BO - NO

NI

GLD - CPR - GNM - RSG





CR

NO

BO

NI

GLD

CPR

GNM

OR

RSG

INOX


Acciaio INOX AISI304 AISI304 stainless steel AISI 304

Lavorazione laser Laser processing

Pioggia Rain shower

**SISTEMA DI FISSAGGIO BREVETTATO**

Questo sistema unisce due grandi benefici: la riduzione del 66% del tempo di installazione e l'assenza di viti di tiraggio nella parte estetica del prodotto. Il soffione si installa ricavando una semplice sede nel controsoffitto, il sistema Spring-Fix® permette poi l'installazione in qualche minuto soltanto senza bisogno di utensili.


**6026 - INOX AISI 304**

Soffione ispezionabile tondo fissaggio a soffitto con sistema brevettato a molle.


Inspectable round showerhead with ceiling-mount spring patented system.

6026/34	Ø mm.
CR	340
NI	340
BO - NO	340
GLD - CPR - GNM - OR	340

6026/44	Ø mm.
CR	440
NI	440
BO - NO	440
GLD - CPR - GNM - OR	440

**PATENTED SYSTEM**

This system combines two great benefits: a reduction by 66% of the installation time and no needs for screws on the aesthetic part of the rainshower. The product is installed by simply creating a sitting site in the false ceiling and the Spring-Fix® system will allow for a installation in a few minutes with no tools.

**6046 - INOX AISI 304**

Soffione ispezionabile quadro fissaggio a soffitto con sistema brevettato a molle.



Inspectable square showerhead with ceiling-mount spring patented system.

6046/34	mm.
CR	340x340
NI	340x340
BO - NO	340x340
GLD - CPR - GNM - OR	340x340

6046/44	mm.
CR	440x440
NI	440x440
BO - NO	440x440
GLD - CPR - GNM - OR	440x440

SOFFIONI e BRACCI




INOX



6085 TUCANO - INOX

Elegante cascata a muro curva.
Nice curved wall waterfall.


6085	1 Bar L/min.	2 Bar L/min.	3 Bar L/min.
CR	12	18,5	23,5
NI	12	18,5	23,5
BO - NO	12	18,5	23,5
GLD - CPR - GNM - RSG	12	18,5	23,5









6086 TUCANO - INOX

Elegante cascata a muro curva.
Nice curved wall waterfall.

Art.	1 Bar L/min.	2 Bar L/min.	3 Bar L/min.
6086	12	18,5	23,5



INOX



6095 CASSIOPEA - INOX

Cascata ad incasso quadrata.
Built-in waterfall square shape.


6095	mm.	1 Bar L/min.	2 Bar L/min.	3 Bar L/min.
CR	270x50	11	16	20,5
NI	270x50	11	16	20,5
BO - NO	270x50	11	16	20,5
BR - RA	270x50	11	16	20,5
GLD - CPR - GNM - RSG	270x50	11	16	20,5

6105 CASSIOPEA - INOX

Cascata ad incasso arrotondata.
Built-in waterfall round shape.



6105	mm.	1 Bar L/min.	2 Bar L/min.	3 Bar L/min.
CR	270x50	11	16	20,5
NI	270x50	11	16	20,5
BO - NO	270x50	11	16	20,5
BR - RA	270x50	11	16	20,5
GLD - CPR - GNM - RSG	270x50	11	16	20,5





SOFFIONI e BRACCI

INOX



6160 GEMELLI - INOX



Soffione doccia rettangolare.
Rectangular shower head.
Riesenbrausekopf.

6160	1 Bar L/min.	2 Bar L/min.	3 Bar L/min.
CR	4,3	6,5	8,2
NI	4,3	6,5	8,2
BO - NO	4,3	6,5	8,2
GLD - CPR - GNM - OR	4,3	6,5	8,2

6165 GEMELLI - INOX

Soffione doccia rettangolare, con cascata.
Rectangular shower head, with waterfall.
Riesenbrausekopf.

6165	1 Bar L/min.	2 Bar L/min.	3 Bar L/min.
CR	4,3	6,5	8,2
NI	4,3	6,5	8,2
BO - NO	4,3	6,5	8,2
GLD - CPR - GNM - OR	4,3	6,5	8,2



8310 QUARZO - INOX

Soffione doccia ultrasottile.
Ultrathin shower heads.
Riesenbrausekopf.

Art.	1 Bar L/min.	2 Bar L/min.	3 Bar L/min.
8310	4,3	6,5	8,2

8320 QUARZO - INOX



Soffione doccia ultrasottile.
Ultrathin shower heads.
Riesenbrausekopf.

Art.	1 Bar L/min.	2 Bar L/min.	3 Bar L/min.
8320	4,3	6,5	8,2



SOFFIONI e BRACCI

INOX



6161 OSCAR - INOX

Soffione doccia rettangolare, ultrapiatto, con getto a pioggia.
Rectangular ultrathin shower head.
Riesenbrausekopf.

Art.	1 Bar L/min.	2 Bar L/min.	3 Bar L/min.
6161	4,3	6,5	8,2

6166 OSCAR - INOX






Soffione doccia rettangolare, ultrapiatto, con getto a pioggia
e getto a cascata.
Rectangular ultrathin shower head with waterfall.
Riesenbrausekopf.

Art.	1 Bar L/min.	2 Bar L/min.	3 Bar L/min.
6166	4,3	6,5	8,2



CR NO NI GLD CPR GNM

INOX



NOTB
Nero opaco total black con
ugelli neri

PRIME ROTONDO - INOX

Soffioni doccia tondi ultrapiatti con braccio da 350 mm.
Ultrathin shower heads, in round shape with shower arm 350 mm.
Riesenbrausekopf mit brausenarm 350 mm.

Art.	Ø mm.	1 Bar L/min.	2 Bar L/min.	3 Bar L/min.
14020 CR	200	10	16	21
14020 NI	200	10	16	21
14020 NO	200	10	16	21
14020 GLD-CPR-GNM	200	10	16	21
14025 CR	250	11	17	22
14025 NI	250	11	17	22
14025 NO	250	11	17	22
14025 NOTB	250	11	17	22
14025 GLD-CPR-GNM	250	11	17	22
14030 CR	300	11	17	22
14030 NI	300	11	17	22
14030 NO	300	11	17	22
14030 GLD-CPR-GNM	300	11	17	22
14040 CR	400	12,5	19	23,3

PRIME QUADRATO - INOX

Soffioni doccia quadri ultrapiatti con braccio da 350 mm quadrato.
Ultrathin shower heads, in square shape with shower arm 350 mm.
Riesenbrausekopf mit brausenarm 350 mm.



Art.	mm.	1 Bar L/min.	2 Bar L/min.	3 Bar L/min.
15020 CR	200x200	10	16	21
15020 NI	200x200	10	16	21
15020 NO	200x200	10	16	21
15020 GLD-CPR-GNM	200x200	10	16	21
15025 CR	250x250	11	17	22
15025 NI	250x250	11	17	22
15025 NO	250x250	11	17	22
15025 NOTB	250x250	11	17	22
15025 GLD-CPR-GNM	250x250	11	17	22
15030 CR	300x300	11	17	22
15030 NI	300x300	11	17	22
15030 NO	300x300	11	17	22
15030 GLD-CPR-GNM	300x300	11	17	22
15040 CR	400x400	12,5	19	23,3
15032 CR	200x300	11	17	22



OTTONE ISPEZIONABILE



Ispezionabile
Inspectable





MINERVA ROTONDO - OTTONE cromato

Soffioni doccia tondi con braccio da 350 mm.
Shower heads, in round shape with shower arm 350 mm.
Riesenbrausekopf mit brausenarm 350 mm.

Art.		Ø mm.	1 Bar L/min.	2 Bar L/min.	3 Bar L/min.
16020	CR	200	10	16	21
16020	NI	200	10	16	21
16020	BO - NO	200	10	16	21
16020	BR - RA	200	10	16	21
16020	GLD-CPR-GNM-RSG	200	10	16	21
16020	OR	200	10	16	21
16025	CR	250	11	17	22
16025	NI	250	11	17	22
16025	BO - NO	250	11	17	22
16025	BR - RA	250	11	17	22
16025	GLD-CPR-GNM-RSG	250	11	17	22
16025	OR	250	11	17	22
16030	CR	300	11	17	22
16030	NI	300	11	17	22
16030	BO - NO	300	11	17	22
16030	BR - RA	300	11	17	22
16030	GLD-CPR-GNM-RSG	300	11	17	22
16030	OR	300	11	17	22



Ispezionabile
Inspectable





MINERVA QUADRATO - OTTONE cromato

Soffioni doccia quadri con braccio da 350 mm quadrato.
Shower heads, in square shape with shower arm 350 mm.
Riesenbrausekopf mit brausenarm 350 mm.

Art.		mm.	1 Bar L/min.	2 Bar L/min.	3 Bar L/min.
17020	CR	200x200	10	16	21
17020	NI	200x200	10	16	21
17020	BO - NO	200x200	10	16	21
17020	BR - RA	200x200	10	16	21
17020	GLD-CPR-GNM-RSG	200x200	10	16	21
17020	OR	200x200	10	16	21
17025	CR	250x250	11	17	22
17025	NI	250x250	11	17	22
17025	BO - NO	250x250	11	17	22
17025	BR - RA	250x250	11	17	22
17025	GLD-CPR-GNM-RSG	250x250	11	17	22
17025	OR	250x250	11	17	22
17030	CR	300x300	11	17	22
17030	NI	300x300	11	17	22
17030	BO - NO	300x300	11	17	22
17030	BR - RA	300x300	11	17	22
17030	GLD-CPR-GNM-RSG	300x300	11	17	22
17030	OR	300x300	11	17	22

SOFFIONI e BRACCI

ABS



GRAPHITE ROTONDO - ABS cromato

Soffioni doccia tondi con braccio da 350 mm*.
Round shower heads with shower arm 350 mm*.
Riesenbrausekopf mit brausenarm 350 mm*.

*Supplemento braccio da 400 mm: **20,00 euro**
Shower arm 400 mm / Brausenarm 400 mm

Art.	Ø mm.	1 Bar L/min.	2 Bar L/min.	3 Bar L/min.
18020	200	10	16	21
18025	250	11	17	22
18030	300	11	17	22

GRAPHITE QUADRATO - ABS cromato

Soffioni doccia quadro con braccio da 350 mm* quadrato.
Square shower heads with shower arm 350 mm*.
Riesenbrausekopf mit brausenarm 350 mm*.

*Supplemento braccio da 400 mm: **20,00 euro**
Shower arm 400 mm / Brausenarm 400 mm

Art.	mm.	1 Bar L/min.	2 Bar L/min.	3 Bar L/min.
19020	200x200	10	16	21
19025	250x250	11	17	22
19030	300x300	11	17	22





CR NI BR RA OR


OTTONE



6441



6451



RETRÒ - OTTONE cromato

Soffioni doccia anticalcare, con braccio in ottone.
Antiscale shower heads, with brass shower arm.
Riesenbrausekopf mit brausenarm.

4220/20	Ø mm.
CR	200
BR - RA - NI	200
OR	200

4220/30	Ø mm.
CR	300
BR - RA - NI	300

ALISSO - OTTONE cromato

Soffione doccia in ottone cromato attacco 1/2 M.
Brass shower head, with rubber clean 1/2 M.
Brausekopf 1/2 M.

Art.	mm.
6441 CR	Ø 100
6441 NI	Ø 100
6451 CR	100x100
6451 NI	100x100




OTTONE

3710 - OTTONE cromato

Braccio tondo a soffitto.
Ceiling shower arm.
Decken Brausenarm.

3710/20	mm
CR	200
BO - NO	200
BR - RA - NI	200
GLD - CPR - GNM - RSG	200
OR	200

3710/30	m
CR	300
BO - NO	300
BR - RA - NI	300
GLD - CPR - GNM - RSG	300
OR	300




3720 - OTTONE cromato

Braccio quadrato a soffitto.
Ceiling shower arm.
Decken Brausenarm.

3720/20	mm
CR	200
BO - NO	200
BR - RA - NI	200
GLD - CPR - GNM - RSG	200
OR	200


3720/30	mm.
CR	300
BO - NO	300
BR - RA - NI	300
GLD - CPR - GNM - RSG	300
OR	300



3730 - OTTONE cromato

Braccio tondo, con deviatore.
Ceiling shower arm, with diverter.
Brausenarm.


Art.	mm.
3730	350



3740 - OTTONE cromato

Braccio quadrato, con deviatore.
Ceiling shower arm, with diverter.
Brausenarm.

Art.	mm.
3740	350




3750 - OTTONE cromato

Braccio doccia.
Shower arm.
Brausenarm.

Art.

3750



3500

Braccio doccia retrò.
Shower arm.
Brausenarm.


3500

CR

BR - RA - NI

GLD - CPR - GNM - RSG

OR



3510

Braccio doccia tondo cm 35.
Shower arm.
Brausenarm.

3510


CR

BO - NO

BR - RA - NI

GLD - CPR - GNM - RSG

OR



3610

Braccio doccia quadro cm 35.
Shower arm.
Brausenarm.

3610

CR

BO - NO

BR - RA - NI

GLD - CPR - GNM - RSG

OR

